

Linux Introduction

2020-01-27

Martin Dahlö martin.dahlo@uppmax.uu.se

Enabler for Life Science











Linux Introduction

Look up the links from Pre-course material, use Google, and ...

Learn by practice and repetition!!!

Enabler for Life Science











UPPMAX

- Uppsala Multidisciplinary Center for Advanced Computational Science
 (Uppsala supercomputer center)
- Clusters
 - Rackham
 - Bianca
 - \circ Snowy
- Uses Linux



UPPMAX

- Uppsala Multidisciplinary Center for Advanced Computational Science
 (Uppsala supercomputer center)
- Clusters
 - Rackham
 - Bianca
 - Snowy
- Uses Linux



Linux

- Why Linux?
- A powerful command-line interface
- Built for multi-user systems.
- An enormous amount of software is freely available



Linux





Linux

- rw- r r	1 valentin	valentin	51709 Oc	t122	015 strl.txt			
- rw- r r	1 valentin	valentin	126832 Oc	t 12 2	015 str2.txt			
drwxr-xr-x	2 valentin	valentin	4096 Sej	p 1 2	015 Templates			
- rw- r	1 valentin	valentin	5 Ma	y 10 14	:29 .vboxclient-clipboard.pid			
- rw- r	1 valentin	valentin	5 Ma	y 10 14	:29 .vboxclient-display.pid			
- rw- r	1 valentin	valentin	5 Mag	y 10 14	:29 .vboxclient-draganddrop.pid			
- rw- r	1 valentin	valentin	5 Mag	y 10 14	:29 .vboxclient-seamless.pid			
drwxr-xr-x	2 valentin	valentin	4096 Sej	p 1 2	015 Videos			
- rw	1 valentin	valentin	4798 Fel	b 15 2	016 .viminfo			
drwxr-xr-x	3 valentin	valentin	4096 Jai	n 11 2	016 websites			
drwxr-xr-x	3 valentin	valentin	4096 Ju	n 82	016 workspace			
- rw	1 valentin	valentin	130 Ma	y 10 14	:29 .Xauthority			
- rw-rr	1 valentin	valentin	131 Sej	p 2 2	015 .xinputrc			
- rw- r r	1 valentin	valentin	3197 Ma	y 10 14	:31 .xsession-errors			
valentin@va	lentin-Virt	ualBox ~ 🕯	11					
total 780								
drwxr-xr-x	35 valentin	valentin	4096 Ma	y 10 14	:30 /			
drwxr-xr-x	3 root	root	4096 Sej	p 1 2	015/			
drwx	3 valentin	valentin	4096 Sej	p 2 2	015 .adobe/			
- rw	1 valentin	valentin	6412 De	c 10 11	:48 .bash history			
- rw- r r	1 valentin	valentin	220 Se	p 1 2	015 .bash logout			
- rw- r r	1 valentin	valentin	305 Fel	b 15 2	016 .bashrc			
drwxr-xr-x	8 valentin	valentin	4096 Sej	p 2 2	015 bin/			
drwxr-xr-x	2 valentin	valentin	4096 No	v 3 2	016 bioclipse.defaultLogDir IS UNDE	FINED/		
- rw- r r	1 valentin	valentin	366894 Ju	n 15 2	016 bioclipse.log			
drwxr-xr-x	9 valentin	valentin	4096 No	v 32	016 bioclipse-workspace/			
drwxr-xr-x	9 valentin	valentin	4096 Sej	p 2 2	015 .cache/			
drwxr-xr-x	17 valentin	valentin	4096 Sej	p 8 2	015 .config/			
drwx	3 valentin	valentin	4096 Se	p 1 2	015 .dbus/			
- rw- r r	1 valentin	valentin	709 Sej	p 2 2	015 derby.log			
drwxr-xr-x	2 valentin	valentin	4096 OC	t 12 2	015 Desktop/			
- rw	1 valentin	valentin	2 Ma	y 10 14	:29 .dmrc			
drwxr-xr-x	2 valentin	valentin	4096 Sej	p 1 2	015 Documents/			
drwxr-xr-x	3 valentin	valentin	4096 No	v 32	016 Downloads/			
drwx	3 valentin	valentin	4096 Ma	y 10 14	:29 .gconf/			
- rw-rr	1 valentin	valentin	74 Sej	p 2 2	015 .gitconfig			
- rw- r	1 valentin	valentin	0 Se	p 1 2	015 .gksu.lock			
drwx	3 valentin	valentin	4096 Sej	p 1 2	015 .gnome/			
drwx	4 valentin	valentin	4096 Ju	n 15 2	016 .gnome2/			
drwx	2 valentin	valentin	4096 Sej	p 1 2	015 .gnome2_private/			
- rw- r r	1 valentin	valentin	37 Jai	n 11 2	016 .httrack.ini			
- rw	1 valentin	valentin	15540 Ma	y 10 14	:29 .ICEauthority			
drwxr-xr-x	4 valentin	valentin	4096 Sej	p72	015 .java/			
- rw	1 valentin	valentin	35 Sej	p 2 2	015 .lesshst			
drwxr-xr-x	4 valentin	valentin	4096 Sej	p 1 2	015 .linuxmint/			
drwx	3 valentin	valentin	4096 Se	p 1 2	015 .local/			
drwxr-xr-x	3 valentin	valentin	4096 Sej	p 1 2	015 .m2/			
drwx	3 valentin	valentin	4096 Se	p 2 2	015 .macromedia/			
drwxr-xr-x	4 valentin	valentin	4096 Se	p 1 2	015 .mozilla/			
drwxr-xr-x	2 valentin	valentin	4096 Sej	p 1 2	015 Music/			
- rw- r r	1 valentin	valentin	213 Se	p 2 2	015 .pam_environment			
drwxr-xr-x	4 valentin	valentin	4096 Se	p 2 2	015 parsers/			

Directory tree

Name 🔻	Size	Туре	Date Modified
+ i annotations		folder	2011-05-18 15:34:34
- 📄 annovar		folder	2011-05-18 15:34:31
🛨 📄 annovarFiles		folder	2011-05-18 15:34:05
🛨 📄 compare		folder	2011-05-18 15:34:29
🛨 📄 prepStat		folder	2011-05-18 15:34:29
🛨 📄 statFiles		folder	2011-05-18 15:34:06
🖃 📄 summarizePerGene		folder	2011-05-18 15:34:31
🖃 📻 data		folder	2011-05-18 15:34:31
1.annovar	1.4 MB	unknown	2011-05-18 15:34:30
1.annovar.alleleFreq.pdf	895 bytes	PDF document	2011-05-18 15:34:30
1.annovar.exonic_variant_function	242.9 KB	unknown	2011-05-18 15:34:30
1.annovar.hg19_snp131_dropped	837.2 KB	unknown	2011-05-18 15:34:30
1.annovar.hg19_snp131_filtered	905.6 KB	unknown	2011-05-18 15:34:30
ABC 1.annovar.log	725 bytes	application log	2011-05-18 15:34:30
1.annovar.stat	938 bytes	unknown	2011-05-18 15:34:30
1.annovar.variant_function	2.3 MB	unknown	2011-05-18 15:34:31
1.non_sym_gene_list	94.3 KB	unknown	2011-05-18 15:34:31
1.non_sym_gene_list_not_in_dbsnp	78.8 KB	unknown	2011-05-18 15:34:31
1.stop_gain_gene_list	4.4 KB	unknown	2011-05-18 15:34:31
1.stop_gain_gene_list_not_in_dbsnp	4.3 KB	unknown	2011-05-18 15:34:31
1.sym_gene_list	51.4 KB	unknown	2011-05-18 15:34:31
1.sym_gene_list_not_in_dbsnp	34.3 KB	unknown	2011-05-18 15:34:31
ABC test.out	2.7 MB	out document	2011-05-18 15:34:31
all.plot	500 bytes	unknown	2011-05-18 15:34:30
summary.ods	23.2 KB	OpenDocument Spreadsheet	2011-05-18 15:34:31





• Is - list the content of a directory



• Is - list the content of a directory

[dahlo@kalkyl4 dir]\$





• Is - list the content of a directory

[dahlo@kalkyl4 dir]\$ ls
anotherFile.doc directory1 file1.txt file2.old secondDirectory





• Is – list the content of a directory

[dahlo@kalkyl4 dir]\$ ls -l
total 192
-rw-r--r-- 1 dahlo uppmax 28214 Jan 5 13:44 anotherFile.doc
drwxr-xr-x 2 dahlo uppmax 4096 Jan 5 13:45 directory1
-rw-r--r-- 1 dahlo uppmax 36458 Jan 5 13:44 file1.txt
-rw-r--r-- 1 dahlo uppmax 2273 Jan 5 13:44 file2.old
drwxr-xr-x 2 dahlo uppmax 4096 Jan 5 13:46 secondDirectory





• cd – change working directory

- o cd <directory name> = down
- \circ cd .. = up



Name 🔻	Size	Туре	Date Modified	
🖻 🧱 dir		folder	2012-01-05	13:44:47
• directory1		folder	2012-01-05	13:45:43
• secondDirectory		folder	2012-01-05	13:46:21
anotherFile.doc	27.6 KB	Word document	2012-01-05	13:44:47
ABC file1.txt	35.6 KB	plain text document	2012-01-05	13:44:15
file2.old	2.2 KB	backup file	2012-01-05	13:44:33



• cd – change working directory

- cd <directory name> = down
- cd .. = up





Size

Туре

2.2 KB backup file

Date Modified

2012-01-05 13:44:33

35.6 KB plain text document 2012-01-05 13:44:15

• cd – change working directory

- cd <directory name> = down
- cd .. = up

```
-- folder
                                                                                                                               2012-01-05 13:44:47
                                                                             dir
[dahlo@kalkyl4 directory1]$ cd ../secondDirectory
                                                                               directory1
                                                                                                             -- folder
                                                                                                                               2012-01-05 13:45:43
                                                                         +
[dahlo@kalkyl4 secondDirectory]$ ls -l
                                                                         Ξ
                                                                               secondDirectory
                                                                                                             -- folder
                                                                                                                               2012-01-05 13:46:21
total 252
-rw-r--r-- 1 dahlo uppmax 28214 Jan 5 13:46 bird.jpg
                                                                                bird.jpg
                                                                                                        27.6 KB JPEG Image
                                                                                                                               2012-01-05 13:46:21
-rw-r--r-- 1 dahlo uppmax 112853 Jan 5 13:46 tree.jpg
                                                                                tree.jpg
                                                                                                       110.2 KB JPEG Image
                                                                                                                               2012-01-05 13:46:09
                                                                               anotherFile.doc
                                                                                                        27.6 KB Word document
                                                                                                                               2012-01-05 13:44:47
```

Name

file1.txt

file2.old



• cd – change working directory

- cd <directory name> = down
- cd .. = up





• pwd – print working directory

[dahlo@kalkyl4 dir]\$ pwd
/home/dahlo/glob/work/testarea/temp/dir



• pwd – print working directory

[dahlo@kalkyl4 dir]\$ pwd
/home/dahlo/glob/work/testarea/temp/dir

[dahlo@kalkyl4 dir]\$ cd directory1/
[dahlo@kalkyl4 directory1]\$ pwd
/home/dahlo/glob/work/testarea/temp/dir/directory1



Absolute/Relative paths

- All files and directories have a location, specified as their path
 - The root ("top") of the file system is accessed through /, e.g. "ls /" or "cd /"
 - An absolute path is specified from the root, e.g. /proj/g2019031/nobackup/
 - These paths are unambiguous and definite, always referring to the same location regardless of current working directory



Absolute/Relative paths

- All files and directories have a location, specified as their path
 - A relative path is specified from the current working directory; "Is documents/data/files/"
 - These paths are relative to your current location, and will refer to different places depending on your current location (pwd)

Both relative and absolute paths are useful, you should understand both



• Summary

- \circ Is list content of directroy
- \circ cd change working directory
- pwd print working directory
- Use them to explore absolute/relative paths

Name 🔻	Size	Туре	Date Modified	
🖻 🧱 dir		folder	2012-01-05	13:44:47
directory1		folder	2012-01-05	13:45:43
secondDirectory		folder	2012-01-05	13:46:21
bird.jpg	27.6 KB	JPEG Image	2012-01-05	13:46:21
tree.jpg	110.2 KB	JPEG Image	2012-01-05	13:46:09
anotherFile.doc	27.6 KB	Word document	2012-01-05	13:44:47
ABC Effect of the second secon	35.6 KB	plain text document	2012-01-05	13:44:15
file2.old	2.2 KB	backup file	2012-01-05	13:44:33



cp - copy a file cp <name of original> <name of copy>



cp - copy a file cp <name of original> <name of copy>

cp myText.txt copy_of_my_text.txt





cp - copy a file cp <name of original> <name of copy>

cp /home/dahlo/test.txt ../





mv - move a file

mv <name of the file> <name of the "copy">

mv /home/dahlo/test.txt ../../myDocs/





mv - rename a file

- mv <original name> <new name>
- mv myText.txt copy_of_my_text.txt





less - view content of a file less <file name>

less readme.txt

-						
<u>F</u> ile	<u>E</u> dit	<u>V</u> iew	<u>S</u> earch	<u>T</u> ools	<u>D</u> ocuments	<u>H</u> elp
Ð	Ō	Dpen	v □ _‡ :	Save	•	Undo
📰 rea	adme.	txt 🗙				
Th	is i	s the	conten	t		
of	rea	dme.t	xt			



less - view content of a file less <file name>

less readme.txt

This is the content of readme.txt

readme.txt (END)

-
<u>File Edit View Search Tools Documents Help</u>
🖓 🛅 Open 🔻 🕞 Save 📑 🖍 Undo
readme.txt 🗶
This is the content
of readme.txt



less - view content of a file less <file name>

less readme.txt





head - view the first rows of a file head <filename>

[dahlo@dahlo dahlo]\$



head - view the first rows of a file head <filename>

[dahlo@dahlo dahlo]\$ ls -l total 57 drwxrwxrwx 1 root root 4096 2012-09-14 10:16 drwxrwxrwx 1 root root 0 2012-01-17 08:28 drwxrwxrwx 1 root root 0 2012-01-28 21:41 drwxrwxrwx 1 root root 0 2012-08-22 17:06 drwxrwxrwx 1 root root 0 2012-01-29 01:10 ther -rwxrwxrwx 1 root root 36 2012-09-13 15:16 readme.txt -rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt [dahlo@dahlo dahlo]\$



head - view the first rows of a file head <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
drwxrwxrwx 1 root root
                           0 2012-01-17 08:28
drwxrwxrwx 1 root root
                           0 2012-01-28 21:41
drwxrwxrwx 1 root root
                          0 2012-08-22 17:06
drwxrwxrwx 1 root root
                         0 2012-01-29 01:10
                                               ther
                          36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ head test.txt
```



head - view the first rows of a file head <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
                          0 2012-01-17 08:28
drwxrwxrwx 1 root root
                      0 2012-01-28 21:41
drwxrwxrwx 1 root root
drwxrwxrwx 1 root root 0 2012-08-22 17:06
drwxrwxrwx 1 root root 0 2012-01-29 01:10
                         36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ head test.txt
This file contains any messages produced by compilers while
running configure, to aid debugging if configure makes a mistake.
It was created by PSNC DRMAA for SLURM configure 1.0.5, which was
generated by GNU Autoconf 2.67. Invocation command line was
  $ ./configure --with-slurm-inc=/usr/include/slurm --with-slurm-lib=/usr/lib64/slurm --prefix=/bubo/sw/apps/build/slurm
-drmaa/1.0.5
```

Platform.
[dahlo@dahlo dahlo]\$



head - view the first rows of a file head -n <nr of lines> <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
                          0 2012-01-17 08:28
drwxrwxrwx 1 root root
drwxrwxrwx 1 root root
                          0 2012-01-28 21:41
                       0 2012-08-22 17:06
drwxrwxrwx 1 root root
drwxrwxrwx 1 root root
                         0 2012-01-29 01:10
                         36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ head -n 3 test.txt
This file contains any messages produced by compilers while
running configure, to aid debugging if configure makes a mistake.
```

[dahlo@dahlo dahlo]\$



Tail

tail - view the last rows of a file tail <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
                           0 2012-01-17 08:28
drwxrwxrwx 1 root root
drwxrwxrwx 1 root root
                           0 2012-01-28 21:41
drwxrwxrwx 1 root root
                           0 2012-08-22 17:06
drwxrwxrwx 1 root root
                           0 2012-01-29 01:10
                          36 2012-09-13 15:16 readme.txt

    rwxrwxrwx 1 root root

-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ tail test.txt
#define HAVE STRCASECMP 1
#define HAVE STRCHR 1
#define HAVE STRDUP 1
#define HAVE STRERROR 1
#define HAVE STRNDUP 1
#define HAVE STRSTR 1
#define HAVE STRTOL 1
#define HAVE VASPRINTF 1
configure: exit 0
[dahlo@dahlo dahlo]$
```



Tail

tail - view the last n rows of a file tail -n <nr of lines> <filename>

```
[dahlo@dahlo dahlo]$ ls -l
total 57
drwxrwxrwx 1 root root 4096 2012-09-14 10:16
drwxrwxrwx 1 root root
                          0 2012-01-17 08:28
drwxrwxrwx 1 root root
                       0 2012-01-28 21:41
drwxrwxrwx 1 root root
                       0 2012-08-22 17:06
                                              vDoc
drwxrwxrwx 1 root root
                        0 2012-01-29 01:10
                                              other stuf
-rwxrwxrwx 1 root root
                         36 2012-09-13 15:16 readme.txt
-rwxrwxrwx 1 root root 53027 2012-09-12 10:31 test.txt
[dahlo@dahlo dahlo]$
[dahlo@dahlo dahlo]$ tail -n 3 test.txt
#define HAVE VASPRINTF 1
```

```
configure: exit 0
[dahlo@dahlo dahlo]$
```



nano - edit content of a file nano <file name>

nano readme.txt



nano - edit content of a file nano <file name> nano readme.txt

^ = ctrl

GNU nano 2.2.6

File: readme.txt

I his is the content
of readme.txt





rm - remove a file

There is no trash bin in CLI! Gone is gone ...

rm <file name>

Ex.

rm readme.txt rm ../../file1.txt rm /home/dahlo/test.txt



*

Wildcards

```
[dahlo@dahlo dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo dir]$
```



*

Wildcards

```
[dahlo@dahlo dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo dir]$
[dahlo@dahlo dir]$ ls -l *.txt
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
[dahlo@dahlo dir]$
```



*

Wildcards

```
[dahlo@dahlo dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
                          0 2012-01-17 08:28 secondDirectory
drwxrwxrwx 1 root root
[dahlo@dahlo dir]$
[dahlo@dahlo dir]$ ls -l *.txt
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
[dahlo@dahlo dir]$
[dahlo@dahlo dir]$ ls -l file*
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
[dahlo@dahlo dir]$
```



Wildcards

*

Works with most Linux commands

Ex: cp *.txt directory1/



Wildcards

*

Works with most Linux commands

Ex: rm *.tmp



(try to) never type a path or filename without it!



(try to) never type a path or filename without it!

[dahlo@dahlo-linux dir]\$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo-linux dir]\$ nano fi]



(try to) never type a path or filename without it!

[dahlo@dahlo-linux dir]\$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo-linux dir]\$ nano file



(try to) never type a path or filename without it!

```
[dahlo@dahlo-linux dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo-linux dir]$ nano file
file1.txt file2.old
[dahlo@dahlo-linux dir]$ nano file
```



(try to) never type a path or filename without it!

```
[dahlo@dahlo-linux dir]$ ls -l
total 68
-rwxrwxrwx 1 root root 28214 2012-01-05 13:44 anotherFile.doc
drwxrwxrwx 1 root root 0 2012-01-17 08:28 directory1
-rwxrwxrwx 1 root root 36458 2012-01-05 13:44 file1.txt
-rwxrwxrwx 1 root root 2273 2012-01-05 13:44 file2.old
drwxrwxrwx 1 root root 0 2012-01-17 08:28 secondDirectory
[dahlo@dahlo-linux dir]$ nano file
file1.txt file2.old
[dahlo@dahlo-linux dir]$ nano file1.txt
```



top - how much is the computer working?

top - 21:27:48 up 37 days, 7:34, 2 users, load average: 6.38, 6.09, 6.03
Tasks: 278 total, 4 running, 274 sleeping, 0 stopped, 0 zombie
Cpu(s): 73.5%us, 1.5%sy, 0.0%ni, 24.3%id, 0.6%wa, 0.0%hi, 0.0%si, 0.0%st
Mem: 24598372k total, 17703556k used, 6894816k free, 83596k buffers
Swap: 25165816k total, 29704k used, 25136112k free, 15403636k cached

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU %	MEM	TIME+ COMMAND
5751	zhibing	20	Θ	1531m	45m	9492	S	100.0	0.2	679:58.20 invaperco
5755	zhibing	20	Θ	1531m	43m	9492	S	100.0	0.2	679:49.38 invaperco
5759	zhibing	20	Θ	1531m	43m	9480	S	100.0	0.2	679:56.71 invaperco
5779	zhibing	20	Θ	1531m	44m	9492	S	100.0	0.2	679:21.84 invaperco
6212	nicusor	20	Θ	451m	377m	3356	R	100.0	1.6	668:47.67 cretin
28221	roca	20	Θ	3114m	88m	4188	R	99.7	0.4	8:26.15 seward.exe
16870	root	20	Θ	Θ	Θ	Θ	S	0.7	0.0	0:13.69 flush-8:0
1781	root	39	19	Θ	Θ	Θ	S	0.3	0.0	17:26.31 kipmi0
1903	root	20	Θ	Θ	Θ	Θ	S	0.3	0.0	1:24.46 kpanfs dispatch
28483	dahlo	20	Θ	13384	1292	884	R	0.3	0.0	0:00.03 top
1	root	20	Θ	21416	652	448	S	0.0	0.0	0:01.70 init
2	root	20	Θ	Θ	Θ	Θ	S	0.0	0.0	0:00.03 kthreadd
3	root	RT	Θ	Θ	Θ	Θ	S	0.0	0.0	0:00.14 migration/0
4	root	20	Θ	Θ	Θ	Θ	S	0.0	0.0	0:01.40 ksoftirqd/0
5	root	RT	Θ	Θ	Θ	Θ	S	0.0	0.0	0:00.00 migration/0

ScilieLab Good to Know Commands

Instructions how to use programs Easy to forget syntax

Manual pages

man <program name> Ex. man ls

(q to quit)

LS(1) User Commands LS(1)

SYNOPSIS

ls [<u>OPTION</u>]... [<u>FILE</u>]...

ls - list directory contents

DESCRIPTION

List information about the FILEs (the current directory by default). Sort entries alphabetically if none of -cftuvSUX nor --sort.

Mandatory arguments to long options are mandatory for short options too.

-a, --all

do not ignore entries starting with .

-A, --almost-all

do not list implied . and ..

:



How do I log out? exit

Exits only the current terminal



SciLifeLab Good to Know Commands

- Summary
 - \circ cp copy a file
 - mv move a file \bigcirc
 - \circ less view a file
 - nano view and edit a file \bigcirc
 - rm remove a file Ο
 - head / tail
 - wildcards
 - tab completion use it!!! Ο
 - top see active processes Ο
 - man manual pages Ο
 - exit Log out current terminal Ο



All Videos Images News Shopping More Settings Tools

About 581 000 results (0,79 seconds)

However, **renaming multiple** or group of **files** quickly makes it very difficult task in a terminal. **Linux** comes with a very powerful built-in tool called **rename**. The **rename** command is used to **rename multiple** or group of **files**, **rename files** to lowercase, **rename files** to uppercase and overwrite **files** using perl expressions. Oct 10, 2013



Rename – A Command Line Tool For Renaming Multiple Files in Linux https://www.tecmint.com/rename-multiple-files-in-linux/

About this result
Feedback

Howto: Linux Rename Multiple Files At a Shell Prompt – nixCraft

https://www.cyberciti.biz/tips/renaming-multiple-files-at-a-shell-prompt.html -

Nov 26, 2005 - Rename command syntax. It is a faster way to group rename files in Linux or Unix-like system. Say hello to zmv for zsh. Say hello to mmv command. Examples: Linux Rename Multiple Files Using a Shell Script. POSIX shell rename all *.bak to *.txt. Linux Shell script to rename files. Perl Script To Rename File.

linux - How to rename multiple files in single command or script in ... https://unix.stackexchange.com/.../how-to-rename-multiple-files-in-single-command-... •



Connect to UPPMAX

- **ssh** Secure SHell connection (ssh)
- ssh -Y <username>@rackham.uppmax.uu.se Ex:
 - ssh -Y valent@rackham.uppmax.uu.se
 - Terminal in Linux and OS X
 - MobaXterm in Windows (http://mobaxterm.mobatek.net/) Putty also alternative, but not as good..



Laboratory time!

https://nbisweden.github.io/workshop-ngsintro/2001/lab_linux_intro.html